L Number	Hits	Search Text	DB	Time stamp
-	5479	(dual adj port) with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:07
-	930	(single adj port) with memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:04
-	417	((dual adj port) with memory) and ((single adj port) with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:08
-	293	((dual adj port) with memory) same ((single adj port) with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:08
-	1	(((dual adj port) with memory) same ((single adj port) with memory)) same (clock adj (rate or speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:12
-	24	(((dual adj port) with memory) same ((single adj port) with memory)) and (clock adj (rate or speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:51
-	553	((dual adj port) with memory) and (clock adj (rate or speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 13:52
-	107	((single adj port) with memory) and (clock adj (rate or speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 10:02
-	636	(ping adj pong) same buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 14:26
-	337	(ping adj pong) same buffer same memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 15:37
-	93	(ping adj pong) same buffer same memory same (rate or speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 15:40
-	38	((ping adj pong) same buffer same memory same (rate or speed)) and (compensat$4 or equaliz$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 15:43
-	10	((ping adj pong) same buffer same memory same (rate or speed)) same (compensat$4 or equaliz$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/18 15:51
-	106739	(rate or speed) same (compensat$4 or equaliz$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:32

−	408	710/53	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:32
−	374	710/53	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 10:46
−	7	710/53 and ((single adj port) near3 memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 10:45
−	12	((rate or speed) same (compensat$4 or equaliz$6)) and 710/53	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 09:40
−	19	710/53 and ((single adj port))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 10:46
−	0	(ping adj pong) same (single adj port adj (memory or buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 14:27
−	2758	ping adj pong	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 14:28
−	463	(single adj port adj (memory or buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 14:28
−	9	(ping adj pong) and ((single adj port adj (memory or buffer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/21 14:28
−	52249	(first with buffer) and (second with buffer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 10:04
−	45255	(first with buffer) same (second with buffer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 10:06
−	41542	(first with buffer) with (second with buffer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 11:13
−	364	(first with buffer) with (second with buffer) with copy$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:56
−	210	710/53.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 10:13

-	120	((first with buffer) with (second with buffer)) same (clock adj (rate or speed))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 10:13
-	99	((first with buffer) with (second with buffer)) and 710/53.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:51
-	105	((first with buffer) same (second with buffer)) and 710/53.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 11:14
-	7	("2907004" | "3588840" | "3761880" | "3836891" | "4056851" | "4110564" | "4171538").PN.	USPAT	2003/05/13 11:21
-	26	4463443.URPN.	USPAT	2003/05/13 11:23
-	2379	((first with buffer) with (second with buffer)) and ((first with buffer) with (full$4 or fill$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:54
-	42	((first with buffer) with (second with buffer) with copy$) and (((first with buffer) with (second with buffer)) and ((first with buffer) with (full$4 or fill$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:56